Artemide

PRODUCT DATA SHEET

Cadmo Floor - LED - White/White



DESIGN BY:


Karim Rashid 2013

MATERIALS: Steel

DESCRIPTION:

Floor lamp. A steel panel screens and releases a soft indirect light upwards together with a diffused light along the vertical aperture of the lamp. Combination of LED light sources, for indirect and diffused emission, with separate switching. Painted steel body lamp, with cover-base in painted inox-steel. With light regulator configured to controlled socket.

Lamp included. With touch dimmer.







Dimmable + ①-

TECHNICAL DATA SHEET

FEATURES

Product name:

Article Code: Colour: Material: Series: Environment: Area contract:

OPTICS

Emission:

DIMENSIONS

Height:
Diameter:
Impact Resistance:
Glow Wire Test:

LAMPS INCLUDED

Category:	LED
Number:	1
Watt:	44W
Luminous Flux (Im):	3000lm
Color temperature (K):	3000K
Class:	A
Category:	LED
Number:	1
Watt:	8W
Socket:	GU10

LUMINAIR

Class:

Watt:
Voltage:
Luminous Flux (Im):
CCT:

Color temperature (K):

Cadmo Floor - LED -White/White 1361020A White / White Steel Design Indoor Hospitality Hotel, Private Residence

Indirect And Diffused

cm 174 cm 32 N/D


N/A °

3000K

44W + 10W 220V-240V 3000lm 3000K

А

DIMENSIONS



COLOUR



PRODUCT DATA SHEET

Cadmo Floor - White/White




DESIGN BY:

Karim Rashid 2006

MATERIALS: Steel

DESCRIPTION:

Floor lamp. A steel panel screens and releases a soft indirect light upwards together with a diffused light along the vertical aperture of the lamp. Combination of halogen light sources, for indirect and diffused emission, with separate switching. Painted steel body lamp, with cover-base in painted inox-steel. With light intensity regulator.





Dimmable + ①-

TECHNICAL DATA SHEET

FEATURES

Product name: Article Code: Colour: Material: Series: Environment: Area contract: Cadmo Floor - White/White 1368020A White / White Steel Design Indoor Hospitality Hotel, Private Residence

Indirect And Diffused

OPTICS

Emission:

DIMENSIONS


Height:	cm 174
Diameter:	cm 32
Impact Resistance:	N/D
Glow Wire Test:	N/A °

LAMPS NOT INCLUDED

()ra	Category: Number: Lbs: Watt: Socket: Type: Colour Rendering: Colour temperature (K):	HALO 1 R63 60W E27 Irr 1a 2500K
	Category: Number: Lbs: Watt: Socket: Type: Luminous Flux (Im): Colour Rendering: Colour temperature (K): Duration (h):	HALO 1 Qt-de12 230W R7s Hdg 2950lm 1a 3000K 2000h

ALTERNATIVE LAMPS

LED



COLOUR



	Category:		LED
	Watt:		11w
	Luminous Flux (Ir	n):	1110lm
	Socket:		R7s
	Class:		А
	LED		
	Category:		LED
	Watt:		6W
	Luminous Flux (Ir	m):	470lm
	Socket:		E27
	Class:		А
LUMIN	AIR		
Watt:		230W +	60W
Voltage	9:	220V-24	40V
Lumino	ous Flux (Im):	5000lm	
CCT:		2950K	

AWARDS

_2010 iF Produkt Design Award Hannover (Deutschland) _Good Design Award The Chicago Athenaeum Chicago (US)