

PRODUCT DATA SHEET

Tolomeo Wall - Aluminium



DESIGN BY:

Michele De Lucchi , Giancarlo Fassina
1987

MATERIALS:

Aluminium

DESCRIPTION:

Cantilevered arms in polished aluminium; diffuser in matt anodised aluminium; joints and wall support in polished aluminium. System of spring balancing. The code refers to the luminaire's body only

Possibility to mount LED source on E27 Socket

SELECT

EXTRA HALO / LED

Wall

Aluminium

PRODUCT CODE

A001000

Light emission



IP20



TECHNICAL DATA SHEET


FEATURES

Product name:	Tolomeo Wall - Aluminium
Article Code:	A001000
Colour:	Aluminium
Material:	Aluminium
Series:	Design

DIMENSIONS

Length:	cm 81
Height:	cm 67
Max Extension Height:	cm 131
Max Extension Length:	cm 126
Impact Resistance:	N/D
Glow Wire Test:	N/D °


DIMENSIONS



COLOUR



LAMPS NOT INCLUDED

	Category:	HALO
	Number:	1
	Lbs:	Qa60
	Watt:	77W
	Socket:	E27
	Type:	Hsgsa/c/ub
	Colour Rendering:	1a
	Colour temperature (K):	2900K
	Duration (h):	2000h

ALTERNATIVE LAMPS


LED retrofit

Category:	LED
Watt:	8W
Luminous Flux (lm):	1000lm
Socket:	E27
Class:	A

LUMINAIR

Watt:	77W
Voltage:	220V-240V

ACCESSORIES



TOLOMEO SUPPORTO
PARETE NEW A025150

PRODUCT DATA SHEET

Tolomeo parete - Fluo darklight Aluminium



DESIGN BY:

Michele De Lucchi , Giancarlo Fassina
1987

MATERIALS:

Aluminium

DESCRIPTION:

Cantilevered arms in polished aluminium; diffuser in matt anodised aluminium; joints and wall support in polished aluminium. System of spring balancing. The code refers to the luminaire's body only

SELECT

FLUO

Wall

Aluminium

PRODUCT CODE

1029010A

Light emission



IP20

TECHNICAL DATA SHEET

FEATURES

Product name:	Tolomeo parete - Fluo darklight Aluminium
Article Code:	1029010A
Colour:	Aluminium
Material:	Aluminium
Series:	Design

DIMENSIONS

Length:	cm 81
Height:	cm 67
Max Extension Height:	cm 131
Max Extension Length:	cm 126
Impact Resistance:	N/D
Glow Wire Test:	N/D °


LAMPS INCLUDED

Category:	FLUO
Number:	1
Lbs:	Tc-del
Watt:	18W
Socket:	G24q-2
Type:	Fsh
Colour Rendering:	1b
Colour temperature (K):	3000K
Duration (h):	12000h

LUMINAIR


Watt:	18W
Voltage:	220V-240V
Luminous Flux (lm):	1200lm
CCT:	3000K

DIMENSIONS



COLOUR





TOLOMEO SUPPORTO
PARETE NEW A025150

PRODUCT DATA SHEET

Tolomeo parete - Led Aluminium


DESIGN BY:

Michele De Lucchi , Giancarlo Fassina
2010

MATERIALS:

Aluminium

DESCRIPTION:

Cantilevered arms in polished aluminium; diffuser in matt anodised or polished aluminium; joints and wall support in polished aluminium. System of spring balancing. The code refers to the luminaire's body only

Led - with dimmer.

SELECT

PRODUCT CODE

A004800

Light emission


IP20


TECHNICAL DATA SHEET
FEATURES

Product name:	Tolomeo parete - Led Aluminium
Article Code:	A004800
Colour:	Aluminium
Material:	Aluminium
Series:	Design

DIMENSIONS


Length:	cm 81
Height:	cm 67
Max Extension Height:	cm 131
Max Extension Length:	cm 126
Impact Resistance:	N/D
Glow Wire Test:	N/D °


LAMPS INCLUDED

LED	Category:	LED
	Number:	1
	Watt:	12W
	Color Rendering:	N/s
	Color temperature (K):	3000K

LUMINAIR

Watt:	10W
Voltage:	220V-240V
Luminous Flux (lm):	480lm
CCT:	3000K

DIMENSIONS

COLOUR

ACCESSORIES


TOLOMEO SUPPORTO

