


Modellblatt



Beenden

- 71 White, Green L1, Grey L1
NCS S 0300-N, NCS S 4005-G80Y, NCS S 1000-N
- 10 White
NCS S 0300-N

LED-Temperaturfarbe 2700 K

Dimmen DALI 1-10V PUSH

Installationstyp Surface Canopy

Materialien
Baldachin: Stahl
Reflektor: Alu
Körper: Stahl
Kopf: Alu

Lichtquelle 4 x LED PLATE 13,5W 700mA
E

LED CRI>90 6960 lm 128.88
2700 K

Driver CC - Constant Current 700
220~240 V 50/60 HZ

⚡ F Dimmable LED
IP20 50-60Hz

Anwendung Deckenleuchten


Verpackung 1 Kasten

Bruttogewicht 25.8
Nettogewicht 15.38

Lichteffect

Allgemeinbeleuchtung


Beleuchtungskörper, der den Lichtstrom so lenkt, das das Licht von Wand oder Decke reflektiert wird.



Photometrische Daten

Effizienz 68.21 lm/W
Koordinatensystem CG
Gesamtfluss 3015.66 lm
Höchster Wert 826.00 cd

Andere Anwendungen



Flat


5910

Design By Ichiro Iwasaki

Flat is a ceiling lamp composed of three horizontal discs at various heights that create planes of reflected light. The discs are self-illuminated by reflected light. The Flat ceiling light has a strong graphic quality, combining structure and functionality.

VIBIA

Model Sheet



Finish

- 73 White, Grey L1
NCS S 0300-N, NCS S 1000-N
- 10 White
NCS S 0300-N
- 72 White, Green L1
NCS S 0300-N, NCS S 4005-G80Y

LED temperature color 2700 K

Dimming DALI 1-10V PUSH


Installation type Surface Canopy

Materials
Ceiling rose: Steel
Reflector: Aluminum
Body: Steel
Head: Aluminium

Light source 3 x LED PLATE 13,5W 700mA
E

LED CRI>90 5220 lm 128.88
2700 K

Driver CC - Constant Current 700
220~240 V 50/60 HZ




Application Ceiling Lamps

Packaging 1 Box
0.727 m x 0.727 m x 0.32 m
Gross weight 10.6
Net weight 9.1
Vol. 0.1691

Lighting effect

General Lighting


Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data

Efficiency 66.71 lm/W
Coordinate System CG
Total Flux 2875.20 lm
Maximum Value 661.18 cd

Other Applications



All of our products come with a five-year warranty.
Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Flat


5915

Design By Ichiro Iwasaki

Flat is a ceiling lamp composed of two horizontal discs at various heights that create planes of reflected light. The discs are self-illuminated by reflected light. The Flat ceiling light has a strong graphic quality, combining structure and functionality.

VIBIA

Model Sheet



Finish 10 White
NCS S 0300-N

LED temperature color 2700 K

Dimming DALI 1-10V PUSH

Installation type Surface Canopy

Materials Ceiling rose: Steel
Reflector: Aluminum
Body: Steel
Head: Aluminium

Light source 2 x LED PLATE 13,5W 700mA
E

LED CRI>90 3480 lm 128.88
2700 K

Driver CC - Constant Current 700
110~240 V 50/60 HZ

  **Dimmable** **LED**
  **IP20** **Bi-volt** **50-60Hz**


Application Ceiling Lamps

Packaging 1 Box
0.71 m x 0.71 m x 0.031 m
Gross weight 14.8
Net weight 4.75
Vol. 0.0156

Lighting effect

General Lighting


Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data

Efficiency 61.57 lm/W
Coordinate System CG
Total Flux 1748.47 lm
Maximum Value 338.42 cd

Other Applications



All of our products come with a five-year warranty.
Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Flat



5920

Design By Ichiro Iwasaki

Flat is a ceiling lamp consisting of a horizontal disc that diffuses reflected light. The disc is self-illuminated by reflected light. The Flat ceiling light has a strong graphic quality, combining structure and functionality.

VIBIA

Model Sheet



Finish

- 13 White Grey L1
NCS S 1000-N
- 47 Green L1
NCS S 4005-G80Y
- 10 White
NCS S 0300-N

LED temperature color 2700 K

Dimming DALI 1-10V PUSH / 1-10V PUSH


Installation type Surface Canopy

Materials
Ceiling rose: Steel
Reflector: Aluminum
Body: Steel
Head: Aluminium

Light source 1 x LED PLATE 13,5W 700mA
E

LED CRI>90 1740 lm 128.88
2700 K

Driver CC - Constant Current 700
110-240 V 50/60 HZ




Application Ceiling Lamps

Packaging 1 Box
0.71 m x 0.71 m x 0.031 m
Gross weight 15.9
Net weight 1.91
Vol. 0.0156

Lighting effect

General Lighting


Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data

Efficiency 76.48 lm/W
Coordinate System CG
Total Flux 1126.58 lm
Maximum Value 468.59 cd

Other Applications



All of our products come with a five-year warranty.
Check our legal terms at www.vibia.com/warranty


Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Model Sheet




Finish	10 White NCS S 0300-N
	71 White, Green L1, Grey L1 NCS S 0300-N, NCS S 4005-G80Y, NCS S 0300-N
LED temperature color	2700 K
Dimming	0-10V Optional DALI or TRIAC Min. quantity, upcharge and extra lead time apply [EN]
Instalation type	Surface Canopy
Materials	Ceiling rose: Steel Reflector: Aluminum Body: Steel
Light source	4 x LED PLATE 20W 700mA
LED	CRI>90 11600 lm 145 2700 K
Driver	CC - Constant Current 700 120~277 V 50/60 HZ
Dimmable LED IP20 Multi-volt	
Dry Location 50-60Hz 0-10V	

Lighting effect

General Lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.




Photometric Data

Application	Ceiling Lamps
Packaging	1 Box Gross weigth 58.59 Net weigth 44.01

Flat lamps are a creation from the designer Ichiro Iwasaki. The discs of light descend from the ceiling to form a pendant, where the planes of reflected light blend in with the architecture. All the models in the Flat collection incorporate LED lighting and are available in a range of neutral color tones.

Spec sheet



Finish	73 White, Grey L1 NCS S 0300-N, NCS S 1000-N 10 White NCS S 0300-N 72 White, Green L1 NCS S 0300-N, NCS S 4005-G80Y
LED color temperature	2700 K
Dimming	0-10V Optional DALI or TRIAC Min. Quantity, upcharge and extra lead time apply
Installation type	Surface mounted


Materials	Canopy: Steel Reflector: Aluminum Body: Steel
Light source	3 x LED PLATE 20W 700mA
LED	CRI>90 8700 lm 145 2700 K
Driver	CC - Constant Current 700 120~277 V 50/60 HZ
	DimmableLEDIP20Multi-volt 50-60Hz

Application	Ceiling Fixtures
Packaging	1 Box Gross weight 58.59 Net weight 44.01

Lighting effect

General Lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data

Flat


5926

Design By Ichiro Iwasaki

Flat lamps are a creation from the designer Ichiro Iwasaki. The discs of light descend from the ceiling to form a pendant, where the planes of reflected light blend in with the architecture. All the models in the Flat collection incorporate LED lighting and are available in a range of neutral color tones.

VIBIA

Spec sheet



Finish	10 White NCS S 0300-N
LED color temperature	2700 K
Dimming	0-10V Optional DALI or TRIAC Min. Quantity, upcharge and extra lead time apply
Installation type	Surface mounted

Materials	Canopy: Steel Shade: Aluminum Body: Steel Head: Aluminum
Light source	2 x LED PLATE 20W 700mA
LED	CRI>90 5800 lm 145 2700 K
Driver	CC - Constant Current 700 120~277 V 50/60 HZ


Dimmable LED IP20 Bi-volt
UL 50-60Hz 0-10V

Application	Ceiling Fixtures
Packaging	1 Box Gross weight 58.59 Net weight 44.01

Lighting effect

General Lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
Phone 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)