Flat

$\left|\right\rangle$

5930


Design By Ichiro Iwasaki

Flat lamps are a creation from the designer Ichiro Iwasaki. The discs of light descend from the ceiling to form a hanging lamp, where the planes of reflected light blend in with the architecture. All the models in the Flat collection incorporate LED lighting and are available in a range of neutral colour tones.

Model Sheet







Optional : Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

Finish	47 Green L1 NCS S 4005-G80Y
	13 White Grey L1 NCS S 1000-N
	37 Terra Red NCS S 4040-Y70R
LED temperature color	2700 K
Dimming	DALI 1-10V PUSH Optional Casambi Min. quantity, upcharge and extra lead time apply [EN]
Instalation type	Surface Canopy
Materials	Ceiling rose: Steel Reflector: Aluminum Body: Steel Head: Aluminium
Light source	3 x LED PLATE 25W 700mA D
LED	CRI>90 10440 lm 139.20 2700 K
Driver	CC - Constant Current 700 220-240 V 50/60 HZ
	Dimmable LED (IP20) 50-60Hz
Application	Hanging lamps
Packaging	1 Box 1 m x 1 m x 0.52 m Gross weigth 27.9 Net weigth 22 Vol. 0.52

General Lighting Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Lighting effect

Photometric Data Efficiency Coordinate System

Total Flux Maximum Value 56.05 lm/W CG 4505.54 lm 720.02 cd

Other Applications

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U. Office / Oficina Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971 Spain / Portugal T +34 934 796 970 customer.service@vibia.com vibia.com

Flat

$\vee | \exists | \land$


5935

Design By Ichiro Iwasaki

Flat lamps are a creation from the designer Ichiro Iwasaki. The discs of light descend from the ceiling to form a hanging lamp, where the planes of reflected light blend in with the architecture. All the models in the Flat collection incorporate LED lighting and are available in a range of neutral colour tones.

Model Sheet





Finish	37 Terra Red NCS S 4040-Y70R
	13 White Grey L1 NCS S 1000-N
	47 Green L1 NCS S 4005-G80Y
LED temperature color	2700 K
Dimming	DALI / 1-10V PUSH
Instalation type	Surface Canopy
Materials	Ceiling rose: Steel Reflector: Aluminum Body: Steel Head: Aluminium
Light source	1 x LED PLATE 13,5W 700mA A+
LED	CRI>90 1740 lm 128.88 2700 K
Driver	CC - Constant Current 700 110~240 V 50/60 HZ
	↓ F Dimmable LED
	IP20 Bi-volt 50-60Hz ADALI
Application	Hanging lamps
Packaging	1 Box 0.71 m x 0.71 m x 0.031 m Gross weigth 6.1 Net weigth 5 Vol. 0.0156

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.


Photometric Data Efficiency Coordinate System


Total Flux Maximum Value

Lighting effect General Lighting

> 54.87 lm/W CG 811.58 lm 173.75 cd

Other Applications





Optional : Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U. Office / Oficina Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971 Spain / Portugal T +34 934 796 970 customer.service@vibia.com vibia.com

Flat

$\setminus | \exists | \land$

5940

Design By Ichiro Iwasaki

Flat lamps are a creation from the designer Ichiro Iwasaki. The discs of light descend from the ceiling to form a hanging lamp, where the planes of reflected light blend in with the architecture. All the models in the Flat collection incorporate LED lighting and are available in a range of neutral colour tones.

Model Sheet





Finish	13 White Grey L1 NCS S 1000-N 37 37 Terra Red NCS S 4040-Y70R 47 Green L1 NCS S 4005-G80Y
LED temperature color	2700 K
Dimming	1-10V PUSH / DALI
Instalation type	Surface Canopy
Materials	Ceiling rose: Steel Reflector: Aluminum Body: Steel Head: Aluminium
Light source	1 x LED PLATE 13,5W 700mA A+
LED	CRI>90 1740 lm 128.88 2700 K
Driver	CC - Constant Current 700 110~240 V 50/60 HZ
	(IP20) (Dimmable) (LED) (IP20) (Bi-volt) (50-60Hz) (IP20)
Application	
Application Packaging	Hanging lamps 1 Box 0.71 m x 0.71 m x 0.031 m Gross weigth 7 Net weigth 6 Vol. 0.0156


Lamp that emits an upward or backward beam that is reflected by the ceiling or wall. Photometric Data Efficiency Coordinate System


Lighting effect General Lighting

> 57.15 lm/W CG 841.92 lm 207.17 cd

Other Applications

Total Flux Maximum Value





Optional : Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U. Office / Oficina Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971 Spain / Portugal T +34 934 796 970 customer.service@vibia.com vibia.com