

Mayfair mini


VIBIA

5495

Design By Diego Fortunato

Portable version powered by a rechargeable battery. This can be moved exactly where needed, indoors or out. A push button in the base turns it on and off and controls dimming.


Model Sheet



Finish	 38 Terra Dark NCS S 5040-Y70R
	 23 Warm White NCS S 0502-Y50R
	 25 Beige D1 NCS S 4005-Y50R
	 47 Green L1 NCS S 4005-G80Y

LED temperature color	2700 K
Dimming	Touch sensor
Installation type	Portable with battery


Materials	Shade: ABS Diffuser: PC- Polycarbonate Vertical tube: Steel Base: ABS
------------------	--

Light source	1 x LED PLATE 5V 2,5W 
---------------------	--

LED	CR>90 223 lm 86 2700 K
------------	---------------------------

Driver	Constant Voltage 100~240 V V 50~60 Hz HZ
---------------	---

Remarks	Rechargeable battery autonomy. 6 hours maximum intensity. 12 hours 50% intensity. 24 hours 25% intensity.
----------------	--



Application	Floor and Table Lamps
--------------------	-----------------------

Packaging	1 Box 0.26 m x 0.25 m x 0.5 m Gross weight 1.62 Net weight 0.73 Vol. 0.0325
------------------	---



Lighting effect

Close Proximity

Lighting applications for illumination in close proximity to the user



Photometric Data



Efficiency	86.077 lm/
Coordinate System	CG
Total Flux	223 lm
Maximum Value	365.58 cd/klm

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Mayfair mini


VIBIA

5496

Design By Diego Fortunato

Base version. The bolted format is fixed in one position and meant to integrate with the surrounding architecture. It is ideal for commercial spaces such as hotels, where it can illuminate specific spots that a designer selects in a lounge area, for instance, or in libraries where it can be used as reading lamps on communal tables.

Model Sheet



Finish		25 Beige D1 NCS S 4005-Y50R
		23 Warm White NCS S 0502-Y50R
		38 Terra Dark NCS S 5040-Y70R
		47 Green L1 NCS S 4005-G80Y

LED temperature color 2700 K

Dimming Touch sensor

Installation type Plug-in

Materials Shade: ABS
Diffuser: PC- Polycarbonate
Vertical tube: Steel
Base: ABS

Light source 1 x LED PLATE 5V 2,5W

LED CRI>90 223 lm 86
2700 K

Driver Constant Voltage 100~240 V V
50~60 Hz HZ


Application Floor and Table Lamps

Packaging 1 Box
0,26 m x 0,25 m x 0,5 m
Gross weight 1,84
Net weight 0,94
Vol. 0,0325



Lighting effect

Close Proximity

Lighting applications for illumination in close proximity to the user



Photometric Data



Efficiency	86.077 lm/
Coordinate System	CG
Total Flux	223 lm
Maximum Value	365.58 cd/klm

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Mayfair mini


VIBIA

5497

Design By Diego Fortunato

Bolted version without base. Mini Mayfair comes in a choice of Chromatica colors that radiate a warm, ambient glow. The glossy finishes offer an informal juxtaposition with the fixture's refined form and a versatile, timeless quality that suits a wide range of styles and spaces.

Model Sheet



Finish	 23 Warm White NCS S 0502-Y50R
	 38 Terra Dark NCS S 5040-Y70R
	 47 Green L1 NCS S 4005-G80Y
	 25 Beige D1 NCS S 4005-Y50R

LED temperature color 2700 K

Dimming On/Off / 1-10V

Installation type Plug-in


Materials Shade: ABS
Diffuser: PC- Polycarbonate
Vertical tube: Steel
Base: Aluminum

Light source 1 x LED PLATE 5V 2,5W



LED CRI > 90 223 lm 86
2700 K

Driver Constant Voltage 100~240 V V
50~60 Hz HZ




Application Floor and Table Lamps

Packaging 1 Box
0,26 m x 0,25 m x 0,5 m
Gross weight 1,45
Net weight 0,54
Vol. 0,0325



Lighting effect

Close Proximity

Lighting applications for illumination in close proximity to the user



Photometric Data



Efficiency 86.077 lm/
Coordinate System CG
Total Flux 223 lm
Maximum Value 365.58 cd/klm

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com